























Article Image	Article No	Rev Article No.	CCT(K)	Power Output(W)	Article Description	Beam Angle	Product Dimension(mm)	Cut out dimension (mm)	SYSTEM	MRP (INR)	
<b>LED CABINET/UNDER CABINET LIGHT</b>											
	833.15.140		6000	0.6	SURFACE MOUNTED LED LIGHT WITH PIR SENSOR, SS AND PLATIC, DIA. 70X27MM,3.7V DC, 0.6W, 6000K, WITH LITHIUM RECHARGEABLE BATTERY 1000MAH,	80	Ø70mm X27	NA	BATTERY-OPERATED LIGHT	1650	
	833.01.960		3000	1.5	SURFACE MOUNTED LED LIGHT, SS AND PLASTIC, DIA. 65X10MM, 12V DC, 1.5W, 3000K, 1500MM CABLE AND PLUG		Ø65mm X10		BATTERY SYSTEM	580	
	833.01.961		6000		SURFACE MOUNTED LED LIGHT, SS AND PLASTIC, DIA. 65X10MM, 12V DC, 1.5W, 6000K, 1500MM CABLE AND PLUG						
	833.87.012		6500	0.6	SURFACE MOUNTED RECHARGEABLE BATTERY OPERATED LED LIGHT -ROUND WITH PIR SENSOR	80	Ø100mm X17		BATTERY-OPERATED LIGHT	3200	
	833.87.013		6500	0.8	SURFACE MOUNTED RECHARGEABLE BATTERY OPERATED LED LIGHT -RECTANGULAR WITH PIR SENSOR	45	120x65x17			3550	
	833.78.080		3000	1	RECESSED/SURFACE MOUNTED COB LED LIGHT	130	Ø 30 x 12	Ø 28 x 10	950 mA SYSTEM	715	
	833.78.100		3000		RECESSED/SURFACE MOUNTED SMD LED LIGHT	45					
	833.78.090	833.78.050	4000		RECESSED MOUNTED LED SWIVEL DISPLAY LIGHT,ALUMINIUM SILVER ANODIZED FINISH.	24	Ø 39 X 31	Ø35X14		2100	
	833.72.040		3000	1.5	RECESS/SURFACE MOUNTED LED LIGHT	90	Ø 35 x 13.5	Ø 26 x 12.5		800	
	833.72.041		4000								
	833.72.042		5000								
	833.72.832		NA	NA	ANGULAR SURFACE MOUNTING FITMENTCHROME PLATED FOR 833.72.040/041/042		Ø 35 x 11.3	NA	12 V SYSTEM	95	
	833.72.831		NA	NA	SURFACE MOUNTING ROUND FITMENT CHROME PLATED FOR 833.72.040/041/042		Ø 35 x 14.5			150	
	833.73.200	833.73.213	5000	1.5	SURFACE MOUNTED UNDER CABINET LIGHT /DOWNLIGHT	94	Ø 58 x 7	NA		1125	
	833.73.210	833.73.222	3000								
	LIG.72.140		3000								
	LIG.72.141		4000		RECESSED/SURFACE MODULAR 1.5W LUMINAIRE		Ø 40 x 16	Ø35X13.5		920	
	LIG.72.142		5000								
	833.72.143		NA	NA		90	Ø 41.5X15.5	NA	12 V SYSTEM	90	
	833.72.144										SURFACE MOUNTED 1.5 W,FITTING, ROUND
	833.72.146										SURFACE MOUNTED 1.5 W,FITTING, SQUARE
	833.72.145										RECESSED MOUNTED 1,5 WFITTING, SQUARE
	833.72.145										RECESSED MOUNTED 1.5 W,FITTING, ROUND
	833.72.050		3000	2.6	SURFACE MOUNTED LED DOWNLIGHT ROUND	117	Ø 65 x 9	NA		1100	
	833.72.051		4000								
	833.72.052		5000								
	833.72.091		3000	2.5	RECESS MOUNTED ROUND ZINC ALLOY FINISH	94	Ø 65 x 16.5	Ø 58 x 14		1600	
	833.02.514		3000	2.7	SURFACE MOUNTED LED LIGHT CABINET LIGHT	94	60 x 60 x 9	NA	12 V SYSTEM	1250	
	833.72.280	833.72.020	3000	2.7	CABINET DOWNLIGHT ZINC CASTING NICKEL MATT FINISH	103	Ø 65 X 14.7	Ø 55		1400	
	833.72.283	833.72.021	4000								
	833.72.286	833.72.022	6000								
	833.72.800		NA	NA	SURFACE MOUNTED RING NICKEL SILVER FINISH	NA	Ø 66.5X 15.5	NA		130	
	833.75.050	Multi white	2.9		RECESSED MOUNTED LUMINAIRE,NICKEL MATTE FINISH	98	Ø 60 x 16.4	Ø 58 x 13.9	24 V SYSTEM	2600	
	833.75.051										RECESSED MOUNTED LUMINAIRE,SILVER ANODISED FINISH
	833.75.740	NA	NA	NA	NICKEL MATT SURFACE MOUNTING RING FOR 833.75.050	NA	Ø 65 x 15	NA		215	
	833.75.741				SILVER ANODISED SURFACE MOUNTING RING FOR 833.75.051						
	833.78.140		3000	3.85	RECESSED MOUNTED LED CABINET LIGHT NICKEL MATT	104	Ø 65 X 15	Ø 58	250 mA SYSTEM	1600	
	833.80.710		NA	NA	SURFACE MOUNTED ROUND RING NICKEL MATT FOR 833.78.140/150	NA	Ø 58 X 14	NA		160	
	833.80.711		NA	NA	SURFACE MOUNTED TRIANGULAR RING NICKEL MATT FOR 833.78.140/150	NA	138X38X11	NA		310	
	833.75.040		3000	3.25	RECESSED MOUNTED LED CABINET LIGHT ALUMINIUM SILVER ANODIZED FINISH	105	Ø 65 X 13	Ø 60	24 V SYSTEM	1760	
	833.75.041		4000								
	833.75.042		6500								
	833.77.730		NA	NA	SURFACE MOUNTED RING SILVER ANODIZED FINISH	NA	Ø 60	NA		145	
	833.77.731				SURFACE MOUNTED BRACKET RECTANGULAR		200X75			140	
	LIG.72.120		3000	3.8	RECESSED MODULAR 3.5W LED LIGHT	80	Ø 61.2 x 15.6	Ø 58		1920	
	LIG.72.121		4000								
	LIG.72.122		5000								
	833.72.124		NA	NA		NA	Ø 65X15.6	NA	12 V SYSTEM	110	
	833.72.125										SURFACE MOUNTED SQUARE
	833.72.126										RECESSED MOUNTED ROUND
	833.72.127										RECESSED MOUNTED square
	833.02.065		3000	4.8	LED CABINET LIGHT WITH TOUCH SENSOR SWITCH	93	58x80x70	NA		2800	
	833.04.110	till stock last	3200	2	LED CABINET LIGHT WITH IR SENSOR	NA	430x28.6x14	NA		3500	
	833.00.720		3200	2.76	RECESSED MOUNTED ALUMINIUM PROFILE WITH 12V LED STRIP,	NA	575 X 18 X 13	575 X 14 X 8	12 V SYSTEM	1200	
	833.13.123		3000	3X1.7	UNDER CABINET SLIDABLE LIGHT WITH INBUILT DRIVER AND IR SENSOR		760 x 46 x 25	0.00	INBUILT	5300	
	833.13.125			5X1.7							
<b>LED DRAWER LIGHT</b>											
	833.87.020		6500	0.5	RECHARGEABLE BATTERY LIGHT WITH MICRO USB	110	Ø20X300X19		BATTERY-OPERATED LIGHT	3500	
	833.01.003		6400	2.4	LED DRAWER LIGHT WITH INFRA RED SENSOR.		563x18x14	NA	12 V SYSTEM	3400	
	833.01.006			5.2			863x18x14				
	833.02.663		6000	3.5	LED DRAWER LIGHT WITH DOOR SENSOR		562x40x13			2650	
	833.02.665			5.3			862x40x13				

Article Image	Article No	Rev Article No.	CCT(K)	Power Output(W)	Article Description	Beam Angle	Product Dimension(mm)	Cut out dimension (mm)	SYSTEM	MRP (INR)
<b>LED SHELF LIGHT</b>										
	833.74.130		4000	0.2	MINI GLASS EDGE SHELF LIGHT. SS FINISH		40 X 25.5 X 12	0.00		380
	833.74.050		3400	2.5	LED CABINET SHELF LIGHT		563 X 12 X 15	0.00		2400
	833.74.051		3400	4			863 X 12 X 15	0.00	12V SYSTEM	3400
	833.14.271		6400	6	LED GLASS SHELF BOX LIGHT .		600 x 200 x 50	0.00		9700
	833.14.272		6400	9			900 X 200 X50	0.00		12700
	833.02.070		4000	6	LED BOTTOM SHELF LIGHT WITH ON/OFF SWITCH.		567 x 300 x 37	0.00		9500
	833.02.071		4000	9			867 x 300 x 37	0.00		12700
<b>LED READING LAMP</b>										
	833.74.091		4000	17(Max)	FLEXIBLE LED BED SIDE LAMP WITH INTEGRATED USB CHARGING SOCKET BLACK BODY	90	450 x Ø50 x 15.5	NA		3100
	833.74.151			1.5	FLEXIBLE LED BED SIDE LAMP BLACK BODY		520xØ60x15.5			2400
	833.74.100		3000	2	SURFACE MOUNTED FLEXIBLE LED BED SIDE LAMP 450MM	69	450X320	NA	12V SYSTEM	3300
	830.75.740		6500	2.4	DESK LAMP WITH USB CONNECTOR SILVER GREY	110	500X340X120	NA		2690
<b>DISPLAY SHOWCASE LIGHT</b>										
	833.79.061		6000	1	SURFACE MOUNTED LED CORNER SWIVEL DISPLAY LIGHT,ALU SILVER ANODIZED FINISH	21	35 x 22 x 42mm	NA		1525
	833.79.060		4000							
	833.79.062		4000		SURFACE MOUNTED LED CORNER SWIVEL DISPLAY LIGHT,4000K, 1 WATT, BLACK FINISH					
	833.80.001		6000		RECESSED MOUNTED LED DISPLAY LIGHT,POLE ADJUSTABLE 40 - 370MM,HEAD TILTABLE 50 - 90 DEGREES,6000K,1 WATT ALU+STEEL BLACK FINISH	13	370x 40	Ø 10	250 mA SYSTEM	2700
	833.80.010		4000	3	SURFACE MOUNTED LED DISPLAY LIGHT,SET-3 LED MODULES AND BASE 3 X 1WATT,4000K	25	214x24	Ø 9		11500
	833.80.012				OPTIONAL SPACER FOR 833.80.010	NA	72.5mm	NA		700
<b>BATHROOM / OVER CABINET LIGHTS</b>										
	833.77.091		4000	8	OVER CABINET LIGHT	122	365 x 150 x 56	NA	24V SYSTEM	5300
	833.77.093		4000	13			565 x 150 x 56			7000
	833.74.160		4000	3.8	OVER CABINET LIGHT	103	65X118X30	NA	12V SYSTEM	2000
<b>PLINTH LIGHT</b>										
	833.73.111		2700	0.34	PLINTH LIGHT WITH PIR , DAWN &USK SENSOR , BLACK STAINLESS STEEL FINISH	69	Ø 54 x 17.3	Ø 40 x 14	12V SYSTEM	1700
<b>FURNITURE MUSIC SYSTEM</b>										
	833.02.827				HAFELE FURNITURE MUSIC SYSTEM REMO 1 30W			0.00		17700
<b>POP UP SOCKET SYSTEM</b>										
	822.80.300				POP UP SOCKET WITH METAL TOP 16A 2 SOCKET AND BLUETOOTH SPEAKER			0.00		18000
	822.80.301				POP UP SOCKET WITH METAL TOP 16A 3 SOCKET		436 (345) x Ø100	0.00		12000
<b>USB MODULAR CHARGER</b>										
	833.74.876			Ø 35	USB MODULAR CONNECTOR,BLACK			Ø 35 x 24.2	12V SYSTEM	450
<b>RIGID STRIP LIGHT</b>										
	833.73.40073		3000	7.2W/m	LED RIGID STRIP 7.2W/m, 30 led/m	120		8x495	12V SYSTEM	320
	833.73.40074		4000							
	833.73.40075	till stock last	6000	14.4 W/m	LED RIGID STRIP 14.4, 12 V ,60 led/m			12x495		560
	833.73.40003		3000							
	833.73.40002		4000							
	833.73.40001		6000							
<b>LOOP STRIP LIGHT</b>										
	833.73.343	833.73.123	5000	4.8W/m	LED STRIP LIGHT , 2043 LED, 4.8 W/m					6000
	833.73.338	833.73.120	2700							
	833.73.343	833.73.121	3000	4.8W/m	SILICONE COATED STRIP LIGHT , LED 2030, 4.8W/m					10700
	833.73.481	833.73.122	4000							
	833.73.482		2700	7.2W/m	LED STRIP LIGHT ,2045 LED, 7.2W/m				12V SYSTEM	10200
	833.73.530	833.73.131	3000							
	833.73.461	833.73.130	5000	7.2W/m	WATERPROOF IP-68 , 5060 SMD LED STRIP					11845
	833.73.403	833.73.132	4000							
	833.73.411	833.73.133	5000	9.6W/m	LED STRIP LIGHT ,2029 LED, 9.6W/m					13000
	833.73.490		3000							
	833.73.491		4000	15W/m	LED STRIP LIGHT, 3015 LED,15W/m					14805
	833.73.492		5000							
	833.73.493		2700	16W/m	LED STRIP LIGHT, 3013 LED,16W/m					
	833.76.080	till stock last	3000							
	833.76.084		2700	16W/m						
	833.76.070		3000							
	833.76.071		4000							
	833.76.072		6000							

Article Image	Article No	Rev Article No.	Article Description	Dimension(mm)	MRP(INR)
<b>SENSOR SWITCH</b>					
	833.02.724		IR SENSOR SWITCH -60W	15X20	960.00
	833.02.725		PIR SENSOR SWITCH -40W	15X13	1100.00
	833.89.045		DOOR SWITCH.WITH 2 METER CABLE,MAX WATTAGE .3- 75 WATTS	13X28	380
	833.89.048		SURFACE MOUNTED HOUSING FOR ALL THE SWITCHES,PLASTIC,BLACK FOR 833.89.045	57x50x20	105
	833.89.065		UNIVERSAL MODULAR DOOR CONTACT SWITCH	51.8X40X14.2	550
	820.22.110		BUILT-IN SWITCH WITH UNIVERSAL PUSH BUTTON BUTTONS PLASTIC BROWN	49.5	675
	820.22.210		BUILT-IN SWITCH WITH UNIVERSAL PUSH BUTTON PLASTIC IVORY		
	833.89.130		ON/OFF SWITCH, PLASTIC, WHITE COLOR	39x34	225
	828.47.300		DOOR CONTACT SWITCH BLACK 39MM X 34MM	39x34	910
	828.47.700		DOOR CONTACT SWITCH WHITE 39MM X 34MM		
	LIG.89.093		PIR Sensor Switch,Max-Wattage - 75 watts	49.7xØ 12	1800
	LIG.89.094		DOOR SENSOR SWITCH .Max- Wattage - 75 Watts, Distance - 0cm to 8 cm , Angle - 45 Degrees.	47.3xØ 12	2000
	LIG.89.095		Infrared ON/OFF Sensor Switch,Max- Wattage - 75 Watts,Distance - 0 cm to 8 cm , Angle - 45 Degrees		2200
	833.89.090		SURFACE MOUNTED HOUSING FOR ALL THE SWITCHES,SILVER COLOURED,SYSTEM 32	48X45X17	105
	820.17.991		SURFACE MOUNTED INFRA RED SENSOR SWITCH. MAXIMUM LOAD 15 WATT (LED).	23x30x7.5	1700
<b>SENSORS FOR ALUMINIUM PROFILES</b>					
	833.89.110		IR SWITCH DOOR SENSOR FOR DRAWER PROFILE <span style="background-color: #f96; padding: 2px;">12 V SYSTEM</span>	43.3xØ 93.8	1150
	833.89.111		IR SWITCH DOOR SENSOR FOR DRAWER PROFILE <span style="background-color: #4f81bd; color: white; padding: 2px;">24 V SYSTEM</span>		
	833.89.088		PIR SWITCH MOTION DETECTOR FOR DRAWER PROFILE <span style="background-color: #f96; padding: 2px;">12 V SYSTEM</span>		
	833.89.089		PIR SWITCH MOTION DETECTOR FOR DRAWER PROFILE <span style="background-color: #4f81bd; color: white; padding: 2px;">24 V SYSTEM</span>		
	833.89.084/ 833.89.116	833.89.112	MOTION DETECTOR FOR ALUMINIUM PROFILES <span style="background-color: #f96; padding: 2px;">12 V SYSTEM</span>		1300
	833.89.101/ 833.89.118	833.89.114	MOTION DETECTOR FOR ALUMINIUM PROFILES <span style="background-color: #4f81bd; color: white; padding: 2px;">24 V SYSTEM</span>		
<b>OCCUPATIONAL SENSOR</b>					
	820.20.000		MICROWAVE SENSOR POWER SUPPLY:220-240VAC POWER FREQUENCY:50/60HZ	43.3xØ 93.8	1550
	820.20.001		INFRARED MOTIION SENSOR DETECTION RANGE: 360 DEGREE POWER SOURCE: AC 220-240V/AC	73.3xØ 76	900
<b>LOOK CONTROL SYSTEMS</b>					
	833.89.060		MULTI SWITCH BOX COMBINE SINGLE DRIVER WITH UPTO 3 SWITCHES	50X40X19	800
	833.89.061		MULTI DRIVER BOX CAN CONTROL UPTO 3 DRIVERS		1635
	833.74.947		12-24V CONVERTER	60.5X34.2X14.6	950
	833.77.934		24 12V CONVERTER		
	833.80.912		"12 V TO 350 MA CONVERTER,DC350MA, MIN. 1W, MAX. 9W,3 OUTPUTS FOR 350MA LED LIGHTS		
	833.74.742		3 WAY SWITCH-DISTRIBUTION-BOX WITH 200MM LEAD <span style="background-color: #f96; padding: 2px;">12 V SYSTEM</span>	57X34X18	490
	833.77.720		3 WAY SWITCH-DISTRIBUTION-BOX WITH 200MM LEAD <span style="background-color: #4f81bd; color: white; padding: 2px;">24 V SYSTEM</span>		
	833.74.743		6 WAY SWITCH-DISTRIBUTION-BOX WITH 2M LEAD <span style="background-color: #f96; padding: 2px;">12 V SYSTEM</span>	58.5X38.5X10.2	520
	833.77.722		6 WAY SWITCH-DISTRIBUTION-BOX WITH 2M LEAD <span style="background-color: #4f81bd; color: white; padding: 2px;">24 V SYSTEM</span>		
	833.74.748		4M LEAD WITH SWITCH WITH DISTRIBUTION-BOX FOR WALL PLUG DR <span style="background-color: #f96; padding: 2px;">12 V SYSTEM</span>	4000	480

Article Image	Article No	Rev Article No.	Article Description	Dimension(mm)	MRP(INR)
<b>ALUMINIUM PROFILES</b>					
	833.01.720		DOUBLE FACE LED LIGHT ALUM PROFILE WITH MILKY COVER ON THE BOTH SIDE. 2.5M.	2500X50X19	3500
	833.72.700	833.72.844	PROFILE RECESSED INSTALLATION FOR LED STRIP LIGHTS. WITH MILKY COVER.	2500X18X8.5	1480
	833.72.810	833.72.845	PROFILE RECESSED INSTALLATION FOR LED STRIP LIGHTS WITH FROSTED COVER.		
	833.72.819	833.72.855	PLASTIC SILVER COLOURED END CAPS SURFACE MOUNTED FOR 833.72.844/845 (2 Pcs)		60
	833.74.739	833.72.840	PROFILE FOR MOUNTING AS DOWNLIGHT FOR LED STRIP LIGHTS. WITH MILKY COVER.	2500X18X8.5	1480
	833.74.840	833.72.843	PROFILE FOR MOUNTING AS DOWNLIGHT FOR LED STRIP LIGHTS. WITH FROSTED COVER.		
	833.74.849	833.72.852	PLASTIC SILVER COLOURED END CAPS FOR 833.74.739/833.72.840/833.74.840/833.72.843		95
	833.74.810	833.72.841	ALUMINIUM PROFILE SURFACE INCLUDING FLAT DIFFUSER IN MILK,SURFACE MOUNTED	2500X18X13	1480
	833.74.811	833.72.842	ALUMINIUM PROFILE SURFACE INCLUDING FLAT DIFFUSER IN FROST,SURFACE MOUNTED		
	833.74.821	833.72.853	END CAPS ABS SILVER COLOURED FOR ALUMINIUM PROFILE 833.72.841/833.72.842 (2 PC)		95
	833.74.815	833.72.846	PROFILE FOR RECESSED INSTALLATION WITH FLAT DIFFUSER IN MILKY COVER	2500X18X13	1480
	833.74.816	833.72.847	PROFILE FOR RECESSED INSTALLATION WITH FLAT DIFFUSER IN FROSTED COVER		
	833.74.827	833.52.854	END CAPS,ABS, SILVER COLOURED FOR ALUMINIUM PROFILE 833.72.846/815/815 (2 PC)		85
	833.74.820	833.72.849	PROFILE FOR DEEP RECESSED INSTALLATION WITH FLAT DIFFUSER IN FROSTED COVER	2500X18X26	2000
	833.74.819	833.72.848	PROFILE FOR DEEP RECESSED INSTALLATION WITH FLAT DIFFUSER IN MILKY COVER		
	833.74.828	833.72.856	END CAPS,ABS, SILVER COLOURED FOR ALUMINIUM PROFILE 833.72.848/819/820/849 (2 PC)		85
	833.72.790		WARDROBE RAIL PROFILE WITH ANGELED LIGHT THROW DIFFUSER IN FROSTED COVER	2500X15X30	2500
	803.33.757		OVAL RAIL END SUPPORT (2 PC)		27
	802.07.200		WARDROBE RAIL CENTRE SUPPORT ZINC CHROME PLATED ( 2 PC)		505
	833.74.733		GLASS EDGE PROFILE,PLASTIC BODY WITH MILKY COVER	2500X17.5X22	1300
	833.74.812		TRIANGULAR PROFILE FOR SURFACE MOUNTING WITH DIFFUSER IN MILKY COVER	2500X28X20	1700
	833.74.822		END CAPS ABS, SILVER COLOURED FOR ALUMINIUM PROFILE 833.74.812 (2PC)		70
	833.74.825		END MOUNTING CLIP FOR TRIANGLE SURFACE MOUNTED PROFILE ABS SILVER COLOURED FOR ALUMINIUM PROFILE 833.74.812 (2 PC)		95
	833.74.826		CLIP ON MOUNTING BRACKET FOR TRIANGLE SURFACE MOUNTED PROFILE,STAINLESS STEEL (2 PC)		80
	833.74.813		SQUARE PROFILE FOR SURFACE MOUNTING WITH DIFFUSER IN MILKY COVER	2500X18X18	1700
	833.74.823		END CAPS,ABS, SILVER COLOURED FOR ALUMINIUM PROFILE 833.74.813 (2 PC)		75
	833.74.814		CURVED PROFILE FOR SURFACE MOUNTING WITH DIFFUSER IN MILKY COVER	2500X18X18	1700
	833.74.824		END CAPS ABS, SILVER COLOURED FOR ALUMINIUM PROFILE 833.74.814 (2 PC)		75
	833.74.834		LIGHT BRACKET FOR 833.74.813 AND 833.74.814		1050
	833.74.794		RECESSED MOUNTING DIFFUSER IN PLASTIC MILKY COVER	2500X6X18	800
	833.74.835		CURVED PROFILE FOR SURFACE MOUNTING FOR DRAWERS WITH DIFFUSER IN MILKY COVER	2500X18X12.5	1800
	833.74.837		TOP MOUNTED CLIP FOR DRAWER PROFILE 833.74.835 (2 PC)		100
	833.74.877		END CAPS FOR 833.74.835		850
	833.74.845		RECESSED ANGULAR MOUNTED PROFILE WITH DIFFUSERS WITH FROSTED COVER	2500X40X16	2400
	833.74.848		END CAPS FOR 833.74.845 (2 PC)		90
	833.74.817	833.72.850	RECESSED 20 DEGREE ANGULAR MOUNTED PROFILE WITH DIFFUSERS WITH MILKY COVER	2500x21x19	2235
	833.74.818	833.72.851	RECESSED 20 DEGREE ANGULAR MOUNTED PROFILE WITH DIFFUSERS WITH FROSTED COVER		
	833.72.857		END CAPS FOR 833.72.851 (2 PC)		120

Article Image	Article No	Rev Article No.	Article Description	Dimension(mm)	MRP(INR)
<b>CONSTANT CURRENT LED DRIVERS</b> <span style="float: right;">350 mA SYSTEM</span>					
	833.80.050		CONSTANT CURRENT LED DRIVER 350MA 1W	1	320
	833.80.051		1-3 WATTS 350 MA LED DRIVER	1-3	450
	833.51.000		1-3 WATTS 350 MA MINI DRIVER	1-3	1155
	LIG.80.900		CONSTANT CURRENT LED DRIVER, OUTPUT 350MA 1-4W, INPUT VOLTAGE 100-240VAC,2M H03 2*0.75MM PRIMARY CA	1-4	1850
	LIG.80.901		CONSTANT CURRENT LED DRIVER, OUTPUT 350MA 5-10W, INPUT VOLTAGE 100-240VAC,2M H03 2*0.75MM PRIMARY C	5-10	2100
<b>CONSTANT VOLTAGE DRIVERS</b> <span style="float: right;">12 V SYSTEM</span>					
	833.80.90203		CONSTANT VOLTAGE COMPACT DRIVER 12V, 1-12W	1-12W	550
	LIG.74.941		LED DRIVER WITHOUT SWITCHING FUNCTION,12V, 15W	0-15W	1500
	LIG.74.900		CONSTANT VOLTAGE DRIVER 12V,0-15W	0-15W	2000
	LIG.74.917		CONSTANT VOLTAGE LED DRIVER , 12 V DC 0 - 20 WATTS,	0-20W	2500
	LIG.74.901		CONSTANT VOLTAGE LED DRIVER , 12 V DC 0 - 30 WATTS,	0-30W	
	LIG.74.933		MODULAR WALL PLUG DRIVERS,12V,6W	6W	910
	LIG.74.935		MODULAR WALL PLUG DRIVERS,12V,15 W	15W	1210
	LIG.74.937		MODULAR WALL PLUG DRIVERS,12V,30W	30W	1810
<b>CONSTANT VOLTAGE DRIVER</b> <span style="float: right;">24 V SYSTEM</span>					
	LIG.77.936		CONSTANT VOLATGE DRIVER , WITHOUT SWITCHING FUNCTION ,24V ,0-15W	0-15W	1500
	LIG.77.900		CONSTANT VOLATGE DRIVER , 24V ,0-15W	0-15W	1900
	LIG.77.912		CONSTANT VOLATGE DRIVER , 24V ,0-20W	0-20W	2400
	LIG.77.901		CONSTANT VOLATGE DRIVER , 24V ,0-30W	0-30W	2500
	LIG.77.914		CONSTANT VOLATGE DRIVER , 24V ,0-75W	0-75W	4000
	833.74.90075		CONSTANT VOLATGE DRIVER , WITHOUT SWITCHING FUNCTION ,24V ,0-75W	0-75W	1600
<b>LOOX STRIP LIGHT ACCESSORIES</b>					
	833.73.721		STRIP TO STRIP CONNECTOR FOR 12V STRIP	50	130
	833.73.719			500	175
	833.73.720			2000	225
	833.73.722			1000	200
	833.73.715		STRIP TO STRIP CONNECTOR FOR SILICON COATED STRIP	50	130
	833.73.716			500	175
	833.73.717			2000	225
	833.73.718			1000	200
	833.74.871	833.73.728	STRIP TO DRIVER FOR12V STRIP	2000	200
	833.73.727		STRIP TO DRIVER FOR SILICON COATED STRIP		200
	833.77.750		QUICK CONNECTOR WITH 2 METER POWER LEAD FOR S630 & 3014 LED STRIP LIGHTS FOR 24V STRIP		195
	833.74.719	833.73.731	STRIP TO STRIP QUICK CONNECTOR FOR 12V STRIP	NA	50
	833.73.730		STRIP TO STRIP QUICK CONNECTOR FOR SILICON COATED STRIP		50
	833.77.760		STRIP TO STRIP QUICK CONNECTOR FOR 24V STRIP		
	833.73.733		STRIP TO STRIP ANGULAR CONNECTOR FOR 12V STRIP	NA	85
	833.73.736		STRIP TO STRIP ANGULAR CONNECTOR FOR SILICON COATED STRIP		150
	833.77.762		STRIP TO STRIP ANGULAR CONNECTOR FOR 24V STRIP		
<b>OTHER ACCESSORIES</b>					
	833.77.707		EXTENTION LEAD <span style="float: right;">24 V SYSTEM</span>	1000	110
	833.77.708			2000	130
		833.80.706		EXTENTION LEAD <span style="float: right;">350 mA SYSTEM</span>	
	833.74.749		4M CABLE WITH 2 SOCKETS	4000	310
	833.89.013		CABLE CHANNELS FOR CONCEALING VISIBLE CABLES-WHITE	2500x12x7.5	675
	833.89.023		CABLE CHANNELS FOR CONCEALING VISIBLE-BROWN		
	833.89.00201		EU PLUG 2 PIN SOCKET- MAINS LEAD- VDE APPROVED PLUG,250VAC,BLACK CABLE - 2 METERS LENGTH.	2000	80
	833.89.00202		EU PLUG OPEN END - MAINS LEAD- VDE APPROVED PLUG,250VAC,BLACK CABLE - 2 METERS LENGTH.		70